

## C.O.I.M. DIEXTER® G222 Polyol Polyester

Category: Other Engineering Material, Additive/Filler for Polymer, Polymer, Thermoplastic, Polyester, TP

## **Material Notes:**

Description: The DIEXTER® line of products offers a vast selection of polyol polyesters with different molecular weights and functions.

DIEXTER® is sold for the production of polyurethanes in virtually every field of application. These saturated polyester resins can be used in applications ranging from the production of slab stocks to synthetic leathers and thermoplastics. Basic Composition = Glycols and 1.4

BDInformation provided by P.A.T. Products, Inc.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_COIM-DIEXTER-G222-Polyol-Polyester.php

| Physical Properties | Metric               | English              | Comments |
|---------------------|----------------------|----------------------|----------|
| Viscosity           | 4200 - 5000 cP       | 4200 - 5000 cP       |          |
|                     | @Temperature 35.0 °C | @Temperature 95.0 °F |          |
| Molecular Weight    | 2000 g/mol           | 2000 g/mol           |          |

| Descriptive Properties      | Value  | Comments |
|-----------------------------|--------|----------|
| Hydroxyl Number (mg KOH/gr) | 54     | Min      |
|                             | 58     | Max      |
| Structure                   | linear |          |

## **Contact Songhan Plastic Technology Co.,Ltd.**

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China