

Dow Corning SYL-OFF® 292 COATING

Category: Fluid, Solvent

Material Notes:

Syl-Off® 292 Coating is one of several alternative base polymers for use in Syl-Off solvent-based, tin-catalyzed release coatings. It is a 30 percent solids dispersion of a blend of reactive siloxane polymers in xylene. Information provided by Dow Corning

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dow-Corning-SYL-OFF-292-COATING.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.900 g/cc	0.900 g/cc	
	@Temperature 25.0 °C	@Temperature 77.0 °F	
Kinematic Viscosity	190 cSt	190 cSt	
	@Temperature 25.0 °C	@Temperature 77.0 °F	
Storage Temperature	<= 50.0 °C	<= 122 °F	

Thermal Properties	Metric	English	Comments
Flash Point	>= 28.0 °C	>= 82.4 °F	closed cup

Processing Properties	Metric	English	Comments
Shelf Life	5.00 Month	5.00 Month	

Descriptive Properties	Value	Comments
Active Content (%)	30	
Appearance	clear liquid	
Color	slightly hazy	
Solvent	xylene	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China