

## Dow Corning TM-4010 EMULSION

Category : Other Engineering Material , Additive/Filler for Polymer

### Material Notes:

Dow Corning® TM-4010 Emulsion is specifically designed as a topical treatment for tissue softening in order to provide soft handle while maintaining the typical tissue water absorbency characteristics. Specific applications would include facial, handkerchief and bath tissue, produced from virgin as well as recycled fibers. Dow Corning® TM-4010 Emulsion is intentionally formulated with nonreactive components to minimize problems in application equipment, e.g. gel formation, stickies, plugging of spray nozzles or engraved rolls. Information provided by Dow Corning

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Dow-Corning-TM-4010-EMULSION.php](http://www.lookpolymers.com/polymer_Dow-Corning-TM-4010-EMULSION.php)

Physical Properties	Metric	English	Comments
Specific Gravity	1.00 g/cc	1.00 g/cc	
	@Temperature 25.0 °C	@Temperature 77.0 °F	
Solids Content	46 %	46 %	
Volatiles	100 %	100 %	
pH	4.5 - 8.0	4.5 - 8.0	
Kinematic Viscosity	40 cSt	40 cSt	

Processing Properties	Metric	English	Comments
Shelf Life	9.00 Month	9.00 Month	

Descriptive Properties	Value	Comments
Color	milky white	
Hydrophilic	yes	

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China