

Dow Corning Z-6020 SILANE

Category : Other Engineering Material , Additive/Filler for Polymer

Material Notes:

Aminoethylaminopropyltrimethoxysilane - $\text{H}_2\text{NC}_2\text{H}_4\text{NHC}_3\text{H}_6\text{-Si}(\text{OCH}_3)_3$ Coupling agent for many thermoset and thermoplastic resins with glass or mineral fillers. Information provided by Dow Corning

Order this product through the following link:

http://www.lookpolymers.com/polymer_Dow-Corning-Z-6020-SILANE.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.03 g/cc	1.03 g/cc	
Kinematic Viscosity	5.0 cSt	5.0 cSt	
Molecular Weight	222 g/mol	222 g/mol	

Thermal Properties	Metric	English	Comments
Flash Point	85.0 °C	185 °F	closed cup

Optical Properties	Metric	English	Comments
Refractive Index	1.445	1.445	

Processing Properties	Metric	English	Comments
Shelf Life	36.0 Month	36.0 Month	

Descriptive Properties	Value	Comments
Adhesion to Vinyl/PVC-U	yes	
Appearance	clear	
Color	light straw, yellow	
Purity (%)	100	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China