

DuPont Performance Polymers AquaStik® AQS-1120 Polychloroprene Latex (discontinued **)

Category: Polymer, Thermoset, Rubber or Thermoset Elastomer (TSE)

Material Notes:

Aquastik™ polychloroprene latexes have been designed for the adhesives industry. They provide an environmentally friendly alternative to solvent-borne systems. This grade features mechanical stability and acid functionality. 47% Solids. Main uses are in adhesives, coatings, and bindings. Initial pH is 7. Low gel polymer type. PVOH emulsifying agent. Very slow crystallization rate. Information provided by DuPont Dow Elastomers. This former DuPont Dow Elastomers product line is now produced by DuPont Performance Elastomers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_DuPont-Performance-Polymers-AquaStik-AQS-1120-Polychloroprene-Latex-nbspdiscontinued-.php

Physical Properties	Metric	English	Comments
Density	1.09 g/cc	0.0394 lb/in³	Latex
	1.24 g/cc	0.0448 lb/in³	Polymer
Brookfield Viscosity	500 cP	500 cP	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China