

ExxonMobil Escor™ 5070 Ethylene Acrylic Acid Copolymer Resin

Category: Polymer, Thermoplastic, Ethylene Acrylic Acid

Material Notes:

Product Description: Escor 5070 is an ethylene acrylic acid copolymer characterized by high melt index and 9% acrylic acid comonomer content. Escor 5070 combines easily processing and adhesion to polar materials, it can be formulated and UV-stabilized for use in outdoor applications. Availability: Europe Additive: Antiblock: NoSlip: No Thermal Stabilizer: NoApplications: Adhesive ApplicationsHeat Seal LayerMasterbatch Base ResinPowder Coating to Polar Substrates Information provided by ExxonMobil

Order this product through the following link:

http://www.lookpolymers.com/polymer_ExxonMobil-Escor-5070-Ethylene-Acrylic-Acid-Copolymer-Resin.php

Physical Properties	Metric	English	Comments
Acrylic Acid Content	9.0 %	9.0 %	ExxonMobil Method
Melt Flow	30 g/10 min	30 g/10 min	ASTM D1238

Thermal Properties	Metric	English	Comments
Melting Point	<= 203 °C	<= 397 °F	Peak Melting Point; ExxonMobil method
Vicat Softening Point	73.9 °C	165 °F	ASTM D1525

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China