

## ExxonMobil Escorene™ AD 2528EH2 Ethylene Vinyl Acetate Copolymer (European Grade)

Category : Polymer , Thermoplastic , Ethylene Vinyl Acetate

### Material Notes:

Product Description: AD 2528EH2 is a copolymer of ethylene and vinyl acetate. Availability: Europe Additive: Antiblock: NoSlip: NoThermal Stabilizer: YesFree Flowing Agent: Yes Applications:Hot Melts AdhesivesViscosity Modifier Information provided by ExxonMobil

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_ExxonMobil-Escorene-AD-2528EH2-Ethylene-Vinyl-Acetate-Copolymer-European-Grade.php](http://www.lookpolymers.com/polymer_ExxonMobil-Escorene-AD-2528EH2-Ethylene-Vinyl-Acetate-Copolymer-European-Grade.php)

Physical Properties	Metric	English	Comments
Density	0.951 g/cc	0.0344 lb/in <sup>3</sup>	ExxonMobil method
Viscosity	3200 cP @Temperature 190 °C	3200 cP @Temperature 374 °F	Melt
Vinyl Acetate Content	27.5 %	27.5 %	ExxonMobil method

Mechanical Properties	Metric	English	Comments
Tensile Strength at Break	1.93 MPa	280 psi	Molded Properties; ASTM D638
Elongation at Break	160 %	160 %	Molded Properties; ASTM D638
Tensile Modulus	0.0138 GPa	2.00 ksi	Molded Properties; ASTM D638

Thermal Properties	Metric	English	Comments
Melting Point	<= 158 °C	<= 316 °F	Peak Melting Point; ExxonMobil method

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China