

## Heatbath/Park 400 Quench Oil

Category : Fluid , Quenchant

**Material Notes:**

Similar to AAA but contains extra reservoir of accelerator additive for use in situations where excessive consumption occurs. Information provided by Heatbath Corporation - Park Metallurgical.

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_HeatbathPark-400-Quench-Oil.php](http://www.lookpolymers.com/polymer_HeatbathPark-400-Quench-Oil.php)

| Physical Properties        | Metric  | English | Comments |
|----------------------------|---------|---------|----------|
| Saybolt Viscosity at 100°F | 104 SUS | 104 SUS |          |

| Thermal Properties               | Metric  | English | Comments                     |
|----------------------------------|---------|---------|------------------------------|
| Maximum Service Temperature, Air | 82.2 °C | 180 °F  | Upper limit of working range |
| Minimum Service Temperature, Air | 48.9 °C | 120 °F  | Lower limit of working range |
| Flash Point                      | 171 °C  | 340 °F  |                              |

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China