

KKPC KOSYN KSL 342 Styrene-Butadiene Latex

Category : Polymer , Thermoset , Rubber or Thermoset Elastomer (TSE)

Material Notes:

Styrene-Butadiene Latex Characteristics: KOSYN KSL 300 series is a Styrene-Butadiene Latex. Applications: Oil-resistant Foam Rubber, For Impregnation of Tire and Belt Cord, Foam Backing of Textile Goods, Coating of Textile, Foam Rubber, Base Latex of ABS resin, Deck Covering of Ship, Reinforcement of Bridge, Waterproofing, Cement Mortar, Reinforcing agent of Foam Products This product is so sensitive to sunlight and humidity that it can be tarnished and caused deterioration of quality if exposed. It is recommended to store it in cool and shady area lest it should be exposed to direct sunlight. Do not expose to incompatible materials or contaminants. Data provided by Korea Kumho Petrochemical Co., Ltd.

Order this product through the following link:

http://www.lookpolymers.com/polymer_KKPC-KOSYN-KSL-342-Styrene-Butadiene-Latex.php

Physical Properties	Metric	English	Comments
Solids Content	61 %	61 %	
pH	10.5	10.5	at 25Â°C
Viscosity	200 cP	200 cP	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China