

KKPC KOSYN KSL 601 Styrene-Butadiene Latex

Category: Polymer, Thermoset, Rubber or Thermoset Elastomer (TSE)

Material Notes:

Styrene-Butadiene LatexCharacteristics: High adhesive strength, excellent printing aptitude, excellent adhesive degree, heat resistance, good dispersion, foam stability, aging resistance, good abrasion resistance, chemical resistance, excellent shock resistance, excellent dispersibility and runnability. Applications: Substitution for Natural LatexThis product is so sensitive to sunlight and humidity that it can be tarnished and caused deterioration of quality if exposed. It is recommended to store it in cool and shady area lest it should be exposed to direct sunlight. Do not expose to incompatible materials or contaminants. Data provided by Korea Kumho Petrochemical Co., Ltd.

Order this product through the following link:

http://www.lookpolymers.com/polymer_KKPC-KOSYN-KSL-601-Styrene-Butadiene-Latex.php

Physical Properties	Metric	English	Comments
Solids Content	40 %	40 %	
pH	9.5	9.5	at 25°C
Viscosity	40 cP	40 cP	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China