

Kazanorgsintez Tert-butyl Prerbenzoate

Category: Fluid, Solvent

Material Notes:

Production Method: Obtained by interaction of sodium salt of tertiary butyl hydro peroxide with benzoyl chloride. Application: Intended for use as a process initiator for production of LDPE, polystyrene plastics, and insulating varnish. Information Provided by Kazanorgsintez

Order this product through the following link:

http://www.lookpolymers.com/polymer_Kazanorgsintez-Tert-butyl-Prerbenzoate.php

Physical Properties	Metric	English	Comments
Density	1.037 - 1.047 g/cc	0.03746 - 0.03783 lb/in³	

Optical Properties	Metric	English	Comments
Refractive Index	1.492 - 1.502	1.492 - 1.502	

Component Elements Properties	Metric	English	Comments
Iron, Fe	<= 0.000030 %	<= 0.000030 %	

Descriptive Properties	Value	Comments
Appearance	Transparent, yellowish liquid, free of mechanical impurities	
Color	3	Iodine scale, mg of J2 per 100 cm3
Mass Content (%)	0.01	Mass content of chlorides
	0.1	Mass content of tertiary butyl hydroperoxide
	0.1	Mass content of ditertiary butyl peroxide
	8.12	Mass content of active oxygen
	98.5	Mass content of base substance

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China