

Michelman® Michem® Emulsion 65435 Nonionic ethylene acrylic acid emulsion

Category : Fluid , Other Engineering Material , Additive/Filler for Polymer , Polymer , Thermoplastic , Ethylene Acrylic Acid

Material Notes:

Description: Nonionic ethylene acrylic acid emulsion Usage: Michem® Emulsion 65435 is an additive which provides good mar resistance and slip properties. This product is best used as an additive in floor polish formulations. We serve many markets through Michem® Emulsion, including: paint & coatings; fiberglass; inks and overprint varnishes; floor care; wood finishes; automotive care products; building products; carpets; die lubricants; fruit and vegetable coatings; textiles and urethane foam Food Contact Information when manufactured in the USA: FDA:175.105: Components of adhesives. 176.170: Components of paper and paperboard in contact with aqueous and fatty foods. (Restricted) 176.180: Components of paper and paperboard in contact with dry foods. Information provided by Michelman®

Order this product through the following link:

http://www.lookpolymers.com/polymer_Michelman-Michem-Emulsion-65435-Nonionic-ethylene-acrylic-acid-emulsion.php

Physical Properties	Metric	English	Comments
Specific Gravity	0.970 - 0.990 g/cc	0.970 - 0.990 g/cc	
Volatiles	64 - 66 %	64 - 66 %	
pH	>= 7.0	>= 7.0	Recommended pH of system
	9.0 - 10.5	9.0 - 10.5	
Brookfield Viscosity	<= 100 cP	<= 100 cP	Spindle # 2, rpm 60

Descriptive Properties	Value	Comments
Appearance	Translucent liquid	
Emulsifier Charge	Nonionic	
Solids Type	Ethylene Acrylic Acid Copolymer	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China