

Michelman® Michem® Flex HS-333 Water based heat seal coating

Category: Fluid, Other Engineering Material, Additive/Filler for Polymer

Material Notes:

Description: Water based heat seal coating with low coefficient of friction when dried. Usage: Michem® Flex HS-333 is a heat sealable slip coating for paper and metal substrates. This product is not currently available in Europe. Food Contact Information when manufactured in the USA: FDA:175.105: Components of adhesives. 175.300: Resinous and polymeric components of coatings (Restricted). Information provided by Michelman®

Order this product through the following link:

http://www.lookpolymers.com/polymer_Michelman-Michem-Flex-HS-333-Water-based-heat-seal-coating.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.00 - 1.02 g/cc	1.00 - 1.02 g/cc	
Volatiles	76.75 - 77.75 %	76.75 - 77.75 %	
pH	8.3 - 9.3	8.3 - 9.3	
Brookfield Viscosity	<= 50 cP	<= 50 cP	Spindle # 1, rpm 60

Descriptive Properties	Value	Comments
Appearance	White, thin, liquid	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China