

Shinil Chemical SHINFLAME PA-6 GF Flame Retardant Polymer Parts

Category: Polymer, Thermoplastic, Nylon, Nylon 6, Nylon 6, Glass Fiber Filled, Flame Retardant

Material Notes:

SHINFLAME is a flame retardant (FR) compound which exhibits inherent flame retardant properties during fire. Shinil uses its patented dispersion blending technology with variety of polymers to produce high performance SHINFLAME compound. SHINFLAME compounds comprise halogen or non halogen flame retardant additives in engineering thermoplastics. SHINFLAME provides a wide range of the flame performance (V0, V1, V2, HB etc), mechanical and physical properties to create the application-specific environment. Feature and Benefits Excellent fire performance Non halogen FR available Environmentally friendly RoHS compliance (selected grade) Outstanding mechanical properties Improved thermal properties Easy processing Non toxic Information Provided by Shinil Chemical Industry Co., Ltd.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Shinil-Chemical-SHINFLAME-PA-6-GF-Flame-Retardant-Polymer-Parts.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.50 g/cc	1.50 g/cc	

Mechanical Properties	Metric	English	Comments
Tensile Strength, Ultimate	108 MPa	15600 psi	
Elongation at Break	2.0 %	2.0 %	
Flexural Strength	73.575 MPa	10671 psi	
Flexural Modulus	7.65 GPa	1110 ksi	
Izod Impact, Notched	0.735 J/cm	1.38 ft-lb/in	

Thermal Properties	Metric	English	Comments
Deflection Temperature at 1.8 MPa (264 psi)	120 °C	248 °F	
Flammability, UL94	V-0	V-0	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China