

Silon Tabond 5007 Adhesive Resin

Category : Polymer , Adhesive , Thermoplastic , Polypropylene (PP)

Material Notes:

Tabond 5007 is a chemically modified Polypropylene. Its functional groups improve considerably the bonding between polar polymers, metals and glass. Characteristics:
• Strong adhesion to aminosilane treated glass, Nylon (PA), EVOH, PET, PBT, PC, steel and aluminium
• Adhesion durability
• Polyolefin like properties and processing
• Easy handling during compounding
Information provided by Silon

Order this product through the following link:

http://www.lookpolymers.com/polymer_Silon-Tabond-5007-Adhesive-Resin.php

Physical Properties	Metric	English	Comments
Density	0.900 g/cc	0.0325 lb/in ³	
Melt Flow	50 g/10 min @Load 2.16 kg, Temperature 230 °C	50 g/10 min @Load 4.76 lb, Temperature 446 °F	

Thermal Properties	Metric	English	Comments
Melting Point	151 °C	304 °F	DSC

Descriptive Properties	Value	Comments
Color	White	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China