

Solvay Specialty Polymers Galden® SV110 PFPE Solvent

Category : Fluid , Solvent , Polymer

Material Notes:

Galden® SV grades are specifically recommended for use as solvents. Galden® PFPE is a line of high-performance, inert, fluorinated fluids. Various grades, with a variety of service temperature ranges, are available. Uses include heat transfer, electronic reliability testing, vapor phase soldering, solvents (especially SV grades), and acid spill mitigation.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Galden-SV110-PFPE-Solvent.php

Physical Properties	Metric	English	Comments
Density	1.71 g/cc	0.0618 lb/in ³	
	@Temperature 25.0 °C	@Temperature 77.0 °F	
Solubility of Water	0.0014 %	0.0014 %	
Kinematic Viscosity	0.77 cSt	0.77 cSt	
	@Temperature 25.0 °C	@Temperature 77.0 °F	
Vapor Pressure	0.000947 bar	0.710 torr	
	@Temperature 20.0 °C	@Temperature 68.0 °F	
	0.133 bar	100 torr	
	@Temperature 60.0 °C	@Temperature 140 °F	

Thermal Properties	Metric	English	Comments
Heat of Vaporization	66.9 J/g	28.8 BTU/lb	at boiling point
	@Temperature 110 °C	@Temperature 230 °F	
Boiling Point	110 °C	230 °F	

Descriptive Properties	Value	Comments
Autoignition Temperature (°C)	None	
Fire Point (°C)	None	
Flash Point (°C)	None	
ODP	0	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215,Fengxian District, Shanghai City,China