

Solvay Specialty Polymers Polymist® XPP 527 Polytetrafluoroethylene (PTFE)

Category : Polymer , Thermoplastic , Fluoropolymer , PTFE , PTFE Powder

Material Notes:

Polymist® XPP 527 a white PTFE micronized powder PTFE micronized powder composed of discrete particles. Designed for use in high end performance Coatings applications, Polymist® XPP 527 will improve non-stick properties and mar and abrasion resistance. Main features of Polymist® XPP 527 are Improved abrasion, scratch and rub resistance, Increased slip and surface lubricity, Reduced blocking, Better chemical resistance, Increased temperature resistance, Gloss retention. Uses: Additive. Additional Properties: Bulk Density - ASTM D4895 500 g/l; Melt Temperature - ASTM D3418 315 to 325 °C; Particle Size - Internal Method 30.0 µm; Specific Surface Area - Internal Method 3.0 m²/g. Information provided by Solvay Specialty Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Polymist-XPP-527-Polytetrafluoroethylene-PTFE.php

Descriptive Properties	Value	Comments
Availability	Asia Pacific	
	Europe	
	North America	
Color	White	
Form	Powder	

Contact Songhan Plastic Technology Co.,Ltd.

Website : www.lookpolymers.com

Email : sales@lookpolymers.com

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China