

Solvay Specialty Polymers Tecnoflon® N 535 Fluoroelastomer

Category: Polymer, Thermoset, Fluoropolymer, TS, Thermoset Fluoroelastomer, Rubber or Thermoset Elastomer (TSE)

Material Notes:

Tecnoflon® N 535 is a low viscosity fluoroelastomer copolymer. Tecnoflon® N 535 is intended as a general purpose fluoroelastomer. It can be blended with other polymers of the Tecnoflon® family to meet specific requirements. Tecnoflon® N 535 does not contain curatives: therefore the proper levels of Tecnoflon® FOR M1 and Tecnoflon® FOR M2 must be added to achieve the required properties. It can be also cured with diamine based systems such as Tecnoflon® Tecnocin A and Tecnoflon® Tecnocin B.Features: Copolymer; Good Flow; Good Mold Release; Low Compression Set; Low ViscosityUses: Belts/Belt Repair; Blending; Gaskets; General Purpose; Hose; Profiles; Seals; SheetAdditional Properties: Fluorine Content - 66 %Information provided by Solvay Specialty Polymers.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Solvay-Specialty-Polymers-Tecnoflon-N-535-Fluoroelastomer.php

Physical Properties	Metric	English	Comments
Mooney Viscosity	27	27	ML 1+10; ASTM D1646
	@Temperature 121 °C	@Temperature 250 °F	

Descriptive Properties	Value	Comments	
Availability	Europe; North America		
Color	Translucent		
Form	Slab		
Processing Technique	Calendering; Compounding; Extrusion	Calendering; Compounding; Extrusion	
	Injection Molding; Resin Transfer Molding		

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058 Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China