

## **Suqian Unitechem Hindered Amine Light Stabilizer 783**

Category: Other Engineering Material, Additive/Filler for Polymer

## **Material Notes:**

Chemical Name: The active substance is a mixture of: Poly-{[6-[(1,1,3,3-tetramethyl butyl}imino]-1,3,5-triazine-2,4-diyl][2-(2,2,6,6-tetramethylpiperidyl)-amino]hexamethylene[4-(2,2,6,6-tetramethylpiperidyl)-imino]}andPoly-N-beta-hydroxyethyl-2,2,6,6-tetramethyl-4hydroxy-piperidyl succinate)CAS NO.: 70624-18-9Application:LS738 areas of application include polyolefin (PP, PE), polyurethane, polyfomaldehyde, polyamide and polyester with elastomers. And it can be used in engineering plastic suchad ABS. When used in low concentration agricultural film system (LDPE or LLDPE), it delivers excellent cost/perfromance benefits.Information Provided by Suqian Unitechem Co., Ltd.

## Order this product through the following link:

http://www.lookpolymers.com/polymer\_Suqian-Unitechem-Hindered-Amine-Light-Stabilizer-783.php

Physical Properties	Metric	English	Comments
Volatiles	<= 0.10 %	<= 0.10 %	
Molecular Weight	2000 - 3100 g/mol	2000 - 3100 g/mol	
Ash	<= 0.10 %	<= 0.10 %	

Optical Properties	Metric	English	Comments	
Transmission, Visible	>= 90 %	>= 90 %	425nm	
	>= 93 %	>= 93 %	500nm	

Descriptive Properties	Value	Comments
Appearance	White powder or light yellow granules	

## Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China