

## Suzhou Hipro Polymers Hipromin® 102 1.10 Decamethylenediamine

Category : Other Engineering Material , Additive/Filler for Polymer

### Material Notes:

Hipromin® 102 (1.10-Decamethylenediamine) is widely used for long chain polyamide polymerization, molecular weight regulation, cross linking, etc. Information provided by Suzhou Hipro Polymers Co. Ltd

Order this product through the following link:

[http://www.lookpolymers.com/polymer\\_Suzhou-Hipro-Polymers-Hipromin-102-110-Decamethylenediamine.php](http://www.lookpolymers.com/polymer_Suzhou-Hipro-Polymers-Hipromin-102-110-Decamethylenediamine.php)

Physical Properties	Metric	English	Comments
Solubility	1.00e+6 ppm	1.00e+6 ppm	in ethanol

Thermal Properties	Metric	English	Comments
Melting Point	$\geq 60.0 \text{ }^\circ\text{C}$	$\geq 140 \text{ }^\circ\text{F}$	GB4608

Descriptive Properties	Value	Comments
Color	< 25	APHA 20% ethanol
Purity	> 98%	Test Method: GC

## Contact Songhan Plastic Technology Co.,Ltd.

Website : [www.lookpolymers.com](http://www.lookpolymers.com)

Email : [sales@lookpolymers.com](mailto:sales@lookpolymers.com)

Tel : +86 021-51131842

Mobile : +86 13061808058

Skype : lookpolymers

Address : United North Road 215, Fengxian District, Shanghai City, China