

The Chemical Company Edible grade Tartaric Acid, C4H6o6

Category: Fluid

Material Notes:

Tartaric Acid is a white crystalline diprotic organic acid. The compound occurs naturally in many plants, particularly in grapes, bananas, and tamarinds. It is also one of the main acids found in wine. Tartaric Acid can be added to food when a sour taste is desired. It is also used as an antioxidant. Salts of Tartaric Acid are known as tartarates. The chemical is a dihydroxy derivative of succinic acid. Tartaric Acid is found in cream of tartar and baking powder. The chemical compound is used in silvering mirrors, tanning leather, and in Rochelle Salt. In medical analysis, Tartaric Acid is used to make solutions for the determination of glucose. Information provided by The Chemical Company

Order this product through the following link:

http://www.lookpolymers.com/polymer_The-Chemical-Company-Edible-grade-Tartaric-Acid-C4H6o6.php

Physical Properties	Metric	English	Comments
Particle Mesh Size	10 Mesh	10 Mesh	Granular-100%
	25 Mesh	25 Mesh	Fine Granular< 99%
	50 Mesh	50 Mesh	Granular< 10%
	100 Mesh	100 Mesh	Fine Granular< 5%
Ash	<= 0.05 %	<= 0.05 %	sulfate ash

Component Elements Properties	Metric	English	Comments
Arsenic, As	<= 0.00010 %	<= 0.00010 %	
Lead, Pb	<= 0.00020 %	<= 0.00020 %	Heavy Metals (as Pb), 10ppm max

Descriptive Properties	Value	Comments
Appearance	White crystalline	
Assay	= 99.7%	on dry basis, as Tartaric Acid
Specific Rotation	12-12.8°	
Weight Loss (%)	< 0.3	dry loss @ 105°C

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers



Address: United North Road 215, Fengxian District, Shanghai City, China