

Zeon Chemicals HyTemp® 4451CG AR Polyacrylate Elastomer

Category: Polymer, Thermoset, Rubber or Thermoset Elastomer (TSE)

Material Notes:

HyTemp 4051CG contains acrylic esters with a small percentage of a chlorine/carboxy cure site monomer. Vulcanizates have excellent oil, heat and compression set resistance. Particulate version of HyTemp 4051CG. Suitable for adhesives, caulks, sealants, and binders.

Order this product through the following link:

http://www.lookpolymers.com/polymer_Zeon-Chemicals-HyTemp-4451CG-AR-Polyacrylate-Elastomer.php

Physical Properties	Metric	English	Comments
Specific Gravity	1.10 g/cc	1.10 g/cc	

Thermal Properties	Metric	English	Comments
Minimum Service Temperature, Air	-18.0 °C	-0.400 °F	Gehman T100

Descriptive Properties	Value	Comments
% Volume Swell	11	
Curesite	Dual	

Contact Songhan Plastic Technology Co.,Ltd.

Website: www.lookpolymers.com Email: sales@lookpolymers.com

Tel: +86 021-51131842 Mobile: +86 13061808058

Skype: lookpolymers

Address: United North Road 215, Fengxian District, Shanghai City, China